



**ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
ΔΗΜΟΣ ΡΕΘΥΜΝΗΣ
ΔΙΕΥΘΥΝΣΗ ΟΙΚΟΝΟΜΙΚΩΝ ΥΠΗΡΕΣΙΩΝ
ΤΜΗΜΑ ΠΡΟΜΗΘΕΙΩΝ
ΔΙΑΧΕΙΡΙΣΗΣ ΥΛΙΚΩΝ & ΑΠΟΘΗΚΗΣ
Πληροφορίες: Χαραλαμπίδου Σουμέλα
Τηλ : 2831341013
Email: charalampidou@rethymno.gr**

**Άδελε, 04-08-2020
Αριθμ. πρωτ.: 21051**

**ΠΡΟΣΚΛΗΣΗ ΥΠΟΒΟΛΗΣ ΠΡΟΣΦΟΡΑΣ
ΠΡΟΣ ΤΟΥΣ ΕΝΔΙΑΦΕΡΟΜΕΝΟΥΣ ΟΙΚΟΝΟΜΙΚΟΥΣ ΦΟΡΕΙΣ**

Ο Δήμος Ρεθύμνης προκειμένου να προβεί στην ανάθεση της προμήθειας με τίτλο: «**Προμήθεια εξοπλισμού του Κέντρου Συμβουλευτικής Ρεθύμνης για τις ανάγκες υλοποίησης εκδηλώσεων ενημέρωσης-ευαισθητοποίησης της τοπικής κοινωνίας**», συνολικής δαπάνης **1.310,00 ευρώ συμπεριλαμβανομένου Φ.Π.Α. 24%**, σας καλεί να καταθέσετε οικονομική προσφορά, μέσω Πρωτοκόλλου Δήμου, στο Γραφείο Προμηθειών του Δήμου (Άδελε) και συγκεκριμένα έως και την Τρίτη 11-08-2020 και ώρα 12:30 μ.μ. (ώρα λήξης επίδοσης οικονομικών προσφορών).

Οι προσφορές υποβάλλονται από τους ενδιαφερόμενους μέσα σε ενιαίο σφραγισμένο φάκελο στην εξωτερική πλευρά του οποίου πρέπει να αναγράφονται ευκρινώς:

«ΣΤΟΙΧΕΙΑ ΠΡΟΣΦΕΡΟΝΤΑ»
(δηλαδή: επωνυμία, διεύθυνση, υπεύθυνος για την προσφορά, ΑΦΜ, τηλέφωνο, email, fax)
<u>ΠΡΟΣ ΤΟ ΔΗΜΟ ΡΕΘΥΜΝΗΣ ΝΟΜΟΥ ΡΕΘΥΜΝΟΥ</u> Δ/ση: Δημαρχείο Άδελε, Τ.Κ. 74100 Ρέθυμνο (Τμήμα Προμηθειών, Διαχείρισης υλικών και αποθεμάτων)
ΠΡΟΣΦΟΡΑ: «Προμήθεια εξοπλισμού του Κέντρου Συμβουλευτικής Ρεθύμνης για τις ανάγκες υλοποίησης εκδηλώσεων ενημέρωσης-ευαισθητοποίησης της τοπικής κοινωνίας» Προϋπολογισμού μελέτης: 1.310,00 € (με Φ.Π.Α. 24%)
Ημερομηνία λήξης προθεσμίας υποβολής προσφορών: 11-08-2020
«Να μην ανοιχθεί από την ταχυδρομική υπηρεσία ή το πρωτόκολλο του παραλήπτη

Πληροφορίες και διευκρινήσεις σχετικά με τις τεχνικές προδιαγραφές μπορείτε να λάβετε από το Τμήμα Πληροφορικής κατά τις εργάσιμες ημέρες και ώρες στο τηλ. 2831341310.

Για πληροφορίες και διευκρινήσεις σχετικά με τη διαδικασία, επικοινωνήστε με το γραφείο Προμηθειών τηλ. 2831341013, ή να αναζητήσετε τη σχετική ανάρτηση στην επίσημη ιστοσελίδα του Δήμου Ρεθύμνης <http://www.rethymno.gr>, στην διαδρομή : ΔΗΜΟΣ ΡΕΘΥΜΝΗΣ ► ΕΠΙΚΑΙΡΟΤΗΤΑ ► ΔΗΜΟΠΡΑΣΙΕΣ-ΔΙΑΓΩΝΙΣΜΟ.

Ο ΑΝΤΙΔΗΜΑΡΧΟΣ ΟΙΚΟΝΟΜΙΚΩΝ ΥΠΗΡΕΣΙΩΝ

ΣΤΥΛΙΑΝΟΣ ΣΠΑΝΟΥΔΑΚΗΣ



Ευρωπαϊκή Ένωση
Ευρωπαϊκό Κοινωνικό Ταμείο



Με τη συγχρηματοδότηση της Ελλάδας και της Ευρωπαϊκής Ένωσης

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
ΝΟΜΟΣ ΡΕΘΥΜΝΗΣ
ΔΗΜΟΣ ΡΕΘΥΜΝΗΣ
ΤΜΗΜΑ ΠΛΗΡΟΦΟΡΙΚΗΣ

Αρ. Μελέτης:	10
Έκδοση:	2.0

**Μελέτη Προμήθειας Εξοπλισμού για
Κέντρο Συμβουλευτικής Υποστήριξης Γυναικών**

ΠΕΡΙΓΡΑΦΗ

Η παρούσα Τεχνική Περιγραφή αφορά την προμήθεια εξοπλισμού του Κέντρου Συμβουλευτικής Ρεθύμνης για τις ανάγκες υλοποίησης εκδηλώσεων ενημέρωσης-ευαισθητοποίησης της τοπικής κοινωνίας. Η αγορά θα καλυφθεί από τον ΚΑ 60.7341.013 του προϋπολογισμού του Οικονομικού Έτους 2020 που χρηματοδοτείται από το ΕΣΠΑ. Η παράδοση του εξοπλισμού θα γίνει στο χώρο του Κέντρου Συμβουλευτικής Δήμου Ρεθύμνης, που βρίσκεται στη Λεωφόρο Κουντουριώτη 98, εντός είκοσι εργασίμων ημερών από την υπογραφή της.

ΕΙΔΙΚΟΙ ΟΡΟΙ

Θα πρέπει να ισχύουν οι παρακάτω όροι για να γίνουν δεκτά τα είδη:

1. Να είναι καινούργια.
2. Να καλύπτονται από εγγύηση ποιότητας κατασκευαστή τουλάχιστον 12 μηνών όπου δεν αναφέρεται ρητά το απαιτούμενο διάστημα εγγύησης.
3. Να συνοδεύονται από βεβαίωση του κατασκευαστή για την εγγύηση τους.
4. Αν κατά τη σταδιακή χρήση κάποιου είδους παρουσιαστούν ελαττωματικά είδη ο ανάδοχος υποχρεούται στην άμεση αντικατάσταση της ελαττωματικής ποσότητας χωρίς καμία οικονομική επιβάρυνση για το Δήμο.
5. Όλα τα είδη θα παραδίδονται σε πρωτότυπη σφραγισμένη συσκευασία κατασκευαστή.
6. **Προσφορές θα πρέπει να κατατεθούν για το σύνολο της προκήρυξης. Στην συνέχεια θα επιλεγεί η περισσότερο συμφέρουσα συνολική προσφορά.**

ΤΕΧΝΙΚΗ ΠΕΡΙΓΡΑΦΗ & ΠΡΟΥΠΟΛΟΓΙΣΜΟΣ

Α. ΕΞΟΠΛΙΣΜΟΣ για Κέντρο Συμβουλευτικής Υποστήριξης Γυναικών

Α1. ΠΡΟΔΙΑΓΡΑΦΕΣ

ΠΕΡΙΓΡΑΦΗ ΕΙΔΟΥΣ	ΤΕΜΑΧΙΑ x ΤΙΜΗ (με ΦΠΑ)	ΣΥΝΟΛΟ (με ΦΠΑ)
<p>A1.1 Projector Specification Projection system: 0.65" WXGA Native Resolution: 1280x800 DC type: DC3 Brightness: 4000 ANSI Lumens Contrast Ratio with SuperEco mode: 22000:1 Display Color: 1.07 Billion Colors Light Source: Lamp Light source life (Nor/SuperEco): 4000/15000 Lamp Watt: 240W Lens: F=2.56-2.68, f=22-24.1 mm Projection Offset: 100%+/-5% Throw Ratio: 1.55-1.70 Image size: 30" - 300" Throw Distance: 1m-10.98m(100" @3.34m) Keystone: ±40° (Vertical) Optical Zoom: 1.1x Audible Noise (Eco): 29dB Resolution Support: VGA(640 x 480) to FullHD(1920 x 1080) HDTV Compatibility: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p Video Compatibility: NTSC, PAL, SECAM Horizontal Frequency: 15K~102KHz Vertical Scan Rate: 23~120Hz</p> <p>Input Computer in (D-SUB 15 pin): 1 Composite: 1, S-video: 1, Audio-in (3.5mm): 1, HDMI: 1 (Back), HDMI/MHL: 1 (Back)</p> <p>Output Monitor out (D-SUB 15 pin): 1, Audio out (3.5mm): 1, Speaker: 10W</p> <p>Control RS232: 1, RJ45: 1, USB type mini B (Services): 1</p> <p>Others Power Supply Voltage: 100-240V+/- 10%, 50/60Hz AC Power Consumption: Normal: 350W Standby: <0.5W</p> <p>Operating Temperature: 0~40°C</p>	1 x 630,00€	630,00€

<p>Carton: Brown Net Weight: 2.4kg Dimensions (WxDxH) w/adjustment foot: 294x218x110mm</p> <p>Standard Accessory Power Cord: 1, VGA cable: 1, Remote Control: 1 (w/Laser pointer), QSG: 1, Air Filter: RSPL</p> <p>Εγγύηση: 2 έτη Ενδεικτικά Τύπου: Viewsonic PG703W Business Projector Τεμάχια 1 x 630€ = 630€</p>		
<p>A1.2 Πανί Προβολής Projector Precise height adjustment Easy set-up Tension button for screen tensioning Keystone-bar prevents trapeze-distortion Format: 1:1 Outer dimensions: 200 x 200 cm Screen material: Matt white (1.2 gain) Weight: 14.5 kg Type of projection Front projection Format1:1 Projection size [cm] 200 x 200</p> <p>Ενδεικτικά Τύπου: Stairville Projector Screen 200x200 Τεμάχια 1 X 180 = 180€</p>	1 X 180,00	180,00€
<p>A1.3 Σύστημα Μικροφωνικής-Ηχείο Active 2-Way Speaker Equipped with 15" loudspeaker and 1" compression driver Power: 600 W peak Maximum output level: 115 dB Frequency range: 70 - 18,000 Hz 2-Band EQ Integrated media player with display SD Card slot Playback formats: MP3, WAV USB Connector and Bluetooth receiver 1 XLR MIC input 1 RCA AUX input 1 RCA AUX output 1 Lockable NL4 chassis connector for connecting an additional passive speaker Robust plastic housing with stand flange mount and handles Weight: 15 kg Dimensions: 740 mm x 480 mm x 390 mm Pole Mount Yes Woofers size 1x 15" Tweeter, 1" and Larger Yes</p> <p>Ενδεικτικά Τύπου: Fun Generation PL 115 A Τεμάχια: 1 x 260€ = 260€</p>	1 x 260,00€	260,00€
<p>A1.4 Stand για Σύστημα Μικροφωνικής (σετ 2 τεμαχίων) Speaker Stand Set Material: Steel Height adjustable by means of clamping screw and safety pin Pipe diameter for 35 mm flange Centric load: Max. 22 kg Length: 1.20 - 1.80 m Weight: 2.4 kg Incl. transport bag Pole diameter 35 mm 2 pieces Set Yes</p>	1 x 120,00€	120,00€

Material Steel Wind-Up Stand No Ringlock No Pneumatic No Foot Construction Tripod ColorBlack Includes: 2 Pieces Ενδεικτικά Τύπου: Fun Generation Speaker Stand Pair Τεμάχια 1 x 120€ = 100€ (σετ 2 τεμαχίων)		
A1.5 ΜΙΚΡΟΦΩΝΟ Dynamic Vocal Microphone With XLR and USB port Adjustable 3.5 mm headphone jack Characteristic: Cardioid No USB driver necessary On / Off switch Frequency range: 60 - 16,000 Hz Boundary sound pressure level: 130 dB Sensitivity (XLR): -52 dBV / Pa Sensitivity (USB) -12 dBFS / Pa (Vol Max) USB compatible with USB 1.0 / 1.1 / 2.0 / 3.0 5V USB voltage necessary AD converter with 16 bit / 24 bit Headphone amplifier output power: 10 mW @ 16 ohms Output: XLR male Mini USB port For Win7 / Win8 / Win10 and Mac OS Includes USB cable, microphone holder and tripod table stand On/Off Switch Yes Polar Pattern Cardioid Ενδεικτικά Τύπου: the t.bone MB 88U Plus Τεμάχια 1 x 120€ = 120€	1 x 120,00€	120,00€
Γενικό Σύνολο:		1.310,00€

A2. ΔΑΠΑΝΗ ΠΡΟΜΗΘΕΙΑΣ

Η δαπάνη της προμήθειας θα βαρύνει τον προϋπολογισμό εξόδων **Κ.Α. 02.60.7341.013** (Κέντρο Συμβουλευτικής Υποστήριξης Γυναικών θυμάτων βίας, διοργάνωση εκδηλώσεων).

Ρέθυμνο 13-07-2020
Συντάχθηκε

Μαθηνός Παναγιώτης
ΠΕ Πληροφορικής

Ο ΔΗΜΑΡΧΟΣ ΡΕΘΥΜΝΗΣ
Ε.Ε
Η ΔΙΕΥΘΥΝΤΡΙΑ Δ/ΚΩΝ ΥΠΗΡΕΣΙΩΝ
ΚΑΙ ΚΟΙΝΩΝΙΚΗΣ ΠΡΟΣΤΑΣΙΑΣ ΔΗΜΟΥ ΡΕΘΥΜΝΗΣ

ΥΠΕΡΗΦΑΝΟΥ ΙΩΑΝΝΑ
ΚΛΑΔΟΥ ΠΕ ΔΙΟΙΚΗΤΙΚΩΝ



Ευρωπαϊκή Ένωση
Ευρωπαϊκό Κοινωνικό Ταμείο



Με τη συγχρηματοδότηση της Ελλάδας και της Ευρωπαϊκής Ένωσης

ΕΝΤΥΠΟ ΟΙΚΟΝΟΜΙΚΗΣ ΠΡΟΣΦΟΡΑΣ

**Α. ΕΞΟΠΛΙΣΜΟΣ για Κέντρο Συμβουλευτικής Υποστήριξης
Γυναικών**

ΠΕΡΙΓΡΑΦΗ ΕΙΔΟΥΣ	ΤΕΜΑΧΙΑ x ΤΙΜΗ (με ΦΠΑ)	ΣΥΝΟΛΟ (με ΦΠΑ)
<p>A1.1 Projector Specification Projection system: 0.65" WXGA Native Resolution: 1280x800 DC type: DC3 Brightness: 4000 ANSI Lumens Contrast Ratio with SuperEco mode: 22000:1 Display Color: 1.07 Billion Colors Light Source: Lamp Light source life (Nor/SuperEco): 4000/15000 Lamp Watt: 240W Lens: F=2.56-2.68, f=22-24.1 mm Projection Offset: 100%+/-5% Throw Ratio: 1.55-1.70 Image size: 30" - 300" Throw Distance: 1m-10.98m(100" @3.34m) Keystone: ±40° (Vertical) Optical Zoom: 1.1x Audible Noise (Eco): 29dB Resolution Support: VGA(640 x 480) to FullHD(1920 x 1080) HDTV Compatibility: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p Video Compatibility: NTSC, PAL, SECAM Horizontal Frequency: 15K~102KHz Vertical Scan Rate: 23~120Hz</p> <p>Input Computer in (D-SUB 15 pin): 1 Composite: 1, S-video: 1, Audio-in (3.5mm): 1, HDMI: 1 (Back), HDMI/MHL: 1 (Back)</p> <p>Output Monitor out (D-SUB 15 pin): 1, Audio out (3.5mm): 1, Speaker: 10W</p> <p>Control RS232: 1, RJ45: 1, USB type mini B (Services): 1</p> <p>Others Power Supply Voltage: 100-240V+/- 10%, 50/60Hz AC Power Consumption: Normal: 350W Standby: <0.5W</p> <p>Operating Temperature: 0~40°C</p> <p>Carton: Brown Net Weight: 2.4kg</p>	<p align="center">1 τεμ.</p>	

<p>Dimensions (WxDxH) w/adjustment foot: 294x218x110mm</p> <p>Standard Accessory Power Cord: 1, VGA cable: 1, Remote Control: 1 (w/Laser pointer), QSG: 1, Air Filter: RSPL</p> <p>Εγγύηση: 2 έτη Ενδεικτικά Τύπου: Viewsonic PG703W Business Projector Τεμάχια 1 x 630€ = 630€</p>		
<p>A1.2 Πανί Προβολής Projector Precise height adjustment Easy set-up Tension button for screen tensioning Keystone-bar prevents trapeze-distortion Format: 1:1 Outer dimensions: 200 x 200 cm Screen material: Matt white (1.2 gain) Weight: 14.5 kg Type of projection Front projection Format1:1 Projection size [cm] 200 x 200</p> <p>Ενδεικτικά Τύπου: Stairville Projector Screen 200x200 Τεμάχια 1 X 180 = 180€</p>	1 τεμ.	
<p>A1.3 Σύστημα Μικροφωνικής-Ηχείο Active 2-Way Speaker Equipped with 15" loudspeaker and 1" compression driver Power: 600 W peak Maximum output level: 115 dB Frequency range: 70 - 18,000 Hz 2-Band EQ Integrated media player with display SD Card slot Playback formats: MP3, WAV USB Connector and Bluetooth receiver 1 XLR MIC input 1 RCA AUX input 1 RCA AUX output 1 Lockable NL4 chassis connector for connecting an additional passive speaker Robust plastic housing with stand flange mount and handles Weight: 15 kg Dimensions: 740 mm x 480 mm x 390 mm Pole Mount Yes Woofers size 1x 15" Tweeter, 1" and Larger Yes</p> <p>Ενδεικτικά Τύπου: Fun Generation PL 115 A Τεμάχια: 1 x 260€ = 260€</p>	1 τεμ.	
<p>A1.4 Stand για Σύστημα Μικροφωνικής (σετ 2 τεμαχίων) Speaker Stand Set Material: Steel Height adjustable by means of clamping screw and safety pin Pipe diameter for 35 mm flange Centric load: Max. 22 kg Length: 1.20 - 1.80 m Weight: 2.4 kg Incl. transport bag Pole diameter 35 mm 2 pieces Set Yes Material Steel Wind-Up Stand No</p>	1 τεμ.	

<p>Ringlock No Pneumatic No Foot Construction Tripod Color Black Includes: 2 Pieces</p> <p>Ενδεικτικά Τύπου: Fun Generation Speaker Stand Pair Τεμάχια 1 x 120€ = 100€ (σετ 2 τεμαχίων)</p>		
<p>A1.5 ΜΙΚΡΟΦΩΝΟ Dynamic Vocal Microphone With XLR and USB port Adjustable 3.5 mm headphone jack Characteristic: Cardioid No USB driver necessary On / Off switch Frequency range: 60 - 16,000 Hz Boundary sound pressure level: 130 dB Sensitivity (XLR): -52 dBV / Pa Sensitivity (USB) -12 dBFS / Pa (Vol Max) USB compatible with USB 1.0 / 1.1 / 2.0 / 3.0 5V USB voltage necessary AD converter with 16 bit / 24 bit Headphone amplifier output power: 10 mW @ 16 ohms Output: XLR male Mini USB port For Win7 / Win8 / Win10 and Mac OS Includes USB cable, microphone holder and tripod table stand On/Off Switch Yes Polar Pattern Cardioid</p> <p>Ενδεικτικά Τύπου: the t.bone MB 88U Plus Τεμάχια 1 x 120€ = 120€</p>	<p>1 τεμ.</p>	
Γενικό Σύνολο:		

Ο ΠΡΟΣΦΕΡΩΝ

...../08/2020